



On frame On graphic



**PRODUCT DESCRIPTION**

With a sleek and thinner diameter, our new EZ Stand frames are a great alternative to our premium backwall displays. Quickly assembled in just minutes, slide the tubes together and lock them in place with a push button snap to assemble the frame. Then, simply pull the pillowcase-like graphic over the frame and zip it shut. The bottom zipper - hidden from view, tightens the stretch fabric beautifully displaying your graphic from edge to edge. Disassembled, the lightweight frame and graphic fits inside a beautiful compact silver bag. Like our premium EZ Tube, the EZ Stand is also available in several sizes and shapes. Quantity pricing is available on our website.

DISPLAY DIMENSIONS	25.5"W x 90"H x 15.75"D
GRAPHIC SIZE	24"W x 90"H

**GRAPHIC MATERIAL**

Stretch Fabric

**GRAPHIC FINISHING**

Sewn on top, left, and right. Zipper on bottom.

**DISPLAY CONSTRUCTION**

Aluminum frame (30mm tubing) and feet (allen key included)

**SHIPPING WEIGHTS & DIMENSIONS**

Shipping Weight	5 lbs (frame only) 9 lbs (frame and graphic)
Shipping Dimensions	31"L x 11"W x 4"H

**LARGE QUANTITY FREIGHT**

Freight Shipping	15 boxes per 48"L x 40"W x 21"H skid
Freight Weight	120 lbs (frame only) 180 lbs (frame and graphic)

**GRAPHIC TURN AROUND TIME**

2 business days after proof approval

**AVAILABLE ACCESSORIES**

Silver/Black LED Light	Silver Bag
<b>AVAILABILITY</b>	
CA and PA	



Silver bag (Optional)



Flat feet (3.125"W x 15.75"L)



LED Light - Silver (Optional)



LED Light - Black (Optional)


# PARTS LIST




Qty.1 - 24" Top Tubing




Qty.4 - 24" Vertical Tubing



Qty.2 - 12" Vertical Tubing



Qty.2 - 20" Vertical Tubing



Qty. 1 - Bottom Tubing



Qty.2 - Base/Foot



Qty. 2 - Bolts  
(Allen key included)


## SET UP INSTRUCTIONS

### 2FT




24"x90"

### 3FT




36"x90"

### 4FT




48"x90"


### 5FT




60"x90"




Connect numbered tubes together.



Snap tubes together.



Screw foot to tube with threaded bottom.



Cover frame with fabric graphic.

To assemble, secure the longest vertical poles onto the pair of feet using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down **EZSTAND** to swiftly drape with the pillowcase graphic. Using the industrial-sized zipper, zip underneath the bottom support pole, maximizing fabric tension.

