EZ Tube® CONNECT 24" X 90" CURVED TOP

RODUCT CATEGORY: EZ FABRIC DISPLAYS




















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	24"W x 90"H x 18.75"D
GRAPHIC SIZE	25"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping We	eight 16 lbs (frames and graphics)	
Shipping Dimens	sions 41"W x 12"H x 4"D	

ARGE QUANTITY FREIGHT

Freight Shipping	48 boxes per 48"L x 40"W x 43"H skid
Freight Weight	768 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center



Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D





(qty1)









EZ Tube® CONNECT 24" X 90" SLANT TOP

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PODLICT CODE: EZCNCT-SLT-24×90





















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	24"W x 90"H x 18.75"D
GRAPHIC SIZE	25"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	16 lbs (frames and graphics)
Shipping Dimensions	41"W x 12"H x 4"D

ARGE QUANTITY FREIGHT

Freight Shipping	48 boxes per 48"L x 40"W x 43"H skid
Freight Weight	768 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center



Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-2ft slope (qty 1)



Bottom cross bar-2ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 2ft (qty 1)

EZ Tube® CONNECT 24" X 90" STRAIGHT TOP

RODUCT CATEGORY: EZ FABRIC DISPLAYS




















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	24"W x 90"H x 18.75"D
GRAPHIC SIZE	25"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	16 lbs (frames and graphics)
Shipping Dimensions	41"W x 12"H x 4"D

ARGE QUANTITY FREIGHT

Freight Shipping	48 boxes per 48"L x 40"W x 43"H skid
Freight Weight	768 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center



Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-2ft straight (qty 1)



Bottom cross bar-2ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 2ft (qty 1)

EZ Tube® CONNECT 36" X 90" CURVED TOP

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

LIFE














PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	36"W x 90"H x 18.75"D
GRAPHIC SIZE	37"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	17 lbs (frames and graphics)
Shipping Dimensions	41"W x 12"H x 4"D

ARGE QUANTITY FREIGHT


Freight Shipping	48 boxes per 48"L x 40"W x 43"H skid
Freight Weight	816 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center








Single foot connection



Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D













EZ Tube® CONNECT 36" X 90" SLANT TOP

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

RODUCT CODE: F7CNCT-SLT-36x90
















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	36"W x 90"H x 18.75"D
GRAPHIC SIZE	37"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	17 lbs (frames and graphics)
Shipping Dimensions	41"W x 12"H x 4"D

LARGE QUANTITY FREIGHT

Freight Shipping	48 boxes per 48"L x 40"W x 43"H skid
Freight Weight	816 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center








Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-3ft slope (qty 1)



Bottom cross bar-3ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 3ft (qty 1)

EZ Tube® CONNECT 36" X 90" STRAIGHT TOP

RODUCT CATEGORY: EZ FABRIC DISPLAYS
















Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	36"W x 90"H x 18.75"D
GRAPHIC SIZE	37"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	17 lbs (frames and graphics)
Shipping Dimensions	41"W x 12"H x 4"D

LARGE QUANTITY FREIGHT

Freight Shipping	48 boxes per 48"L x 40"W x 43"H skid
Freight Weight	816 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center







Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-3ft straight (qty 1)



Bottom cross bar-3ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 3ft (qty 1)

EZ Tube® CONNECT 48" X 90" CURVED TOP
















Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	48"W x 90"H x 18.75"D

GRAPHIC SIZE 49"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing


Shipping Weight | 17 lbs (frames and graphics) Shipping Dimensions 41"W x 12"H x 4"D

Freight Shipping 48 boxes per 48"L x 40"W x 43"H skid Freight Weight 816 lbs (frames & graphics)

2 business days after proof approval

AVAILABILITY | Pacific Fulfillment Center








Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D





(qty1)









Single Foot (34mm) (qty 2)

EZ Tube® CONNECT 48" X 90" SLANT TOP

PRODUCT CATEGORY: EZ FABRIC DISPLAYS

PODLICT CODE: F7CNCT-SLT-48×90













PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	48"W x 90"H x 18.75"D
GRAPHIC SIZE	49"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight 17 lbs (frames and graphics)
Shipping Dimensions 41"W x 12"H x 4"D

LARGE QUANTITY FREIGHT


Freight Shipping 48 boxes per 48"L x 40"W x 43"H skid
Freight Weight 816 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY | Pacific Fulfillment Center








Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-4ft slope (qty 1)



Bottom cross bar-4ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 4ft (qty 1)

EZ Tube® CONNECT 48" X 90" STRAIGHT TOP

PRODUCT CATEGORY: EZ FABRIC DISPLAYS













PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

|--|

GRAPHIC SIZE 49"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight 17 lbs (frames and graphics)

Shipping Dimensions 41"W x 12"H x 4"D

LARGE QUANTITY FREIGHT

Freight Shipping 48 boxes per 48"L x 40"W x 43"H skid


Freight Weight 816 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY | Pacific Fulfillment Center








Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-4ft straight (qty 1)



Bottom cross bar-4ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 4ft (qty 1)

EZ Tube® CONNECT 60" X 90" CURVED TOP

PRODUCT CATEGORY: EZ FABRIC DISPLAYS
















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	60"W x 90"H x 18.75"D
GRAPHIC SIZE	60.75"W x 8.59"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight 17 lbs (frames and graphics)

Shipping Dimensions 41"W x 12"H x 4"D

LARGE QUANTITY FREIGHT

Freight Shipping 48 boxes per 48"L x 40"W x 43"H skid
Freight Weight 816 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY | Pacific Fulfillment Center






Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-5ft round (qty 1)



Bottom cross bar-5ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 5ft (qty 1)

EZ Tube® CONNECT 60" X 90" SLANT TOP

PRODUCT CATEGORY: EZ FABRIC DISPLAYS













PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	60"W x 90"H x 18.75"D
GRAPHIC SIZE	60.75"W x 8.59"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight 17 lbs (frames and graphics)
Shipping Dimensions 41"W x 12"H x 4"D

I ARGE QUANTITY FREIGHT

Freight Shipping 48 boxes per 48"L x 40"W x 43"H skid
Freight Weight 816 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY | Pacific Fulfillment Center






Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D



Top cross bar-5ft slope (qty 1)



Bottom cross bar-5ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)



Single Foot (34mm) (qty 2)



Soft Bag 5ft (qty 1)

EZ Tube® CONNECT 60" X 90" STRAIGHT TOP













Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize singleor double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	60"W x 90"H x 18.75"D
	CO 7E%M O FO #11

GRAPHIC SIZE | 60.75"W x 8.59"H

GRAPHIC MATERIAL

Stretch Fabric

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

Shipping Weight | 17 lbs (frames and graphics) Shipping Dimensions 41"W x 12"H x 4"D

Freight Shipping 48 boxes per 48"L x 40"W x 43"H skid Freight Weight 816 lbs (frames & graphics)

2 business days after proof approval

AVAILABILITY | Pacific Fulfillment Center






Single foot connection




Optional 36" Silverbag Inside dimensions: 39"W x 10.5"H x 3"D







Bottom cross bar-5ft (qty1)



3 section 64" pole (qty 2)



Bottom Cross Bar L shape connector (qty 2)




Single Foot (34mm) (qty 2)



Soft Bag 5ft (qty 1)

SETUP INSTRUCTIONS



EZ Tube® CONNECT 96" X 90" STRAIGHT TOP

RODUCT CATEGORY: EZ FABRIC DISPLAYS


















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	96"W x 90"H x 18.75"D
GRAPHIC SIZE	96.5"W x 89.5"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	22 lbs (frames and graphics)
Shipping Dimensions	41"W x 12"H x 4"D

ARGE QUANTITY FREIGHT

Freight Shipping 4	18 boxes per 48"L x 40"W x 43"H skid
Freight Weight 10	056 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME

2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center



Single foot connection

Bottom Cross Bar L shape connector

(qty 2)

PARTS LIST



Soft Bag 8ft

(qty 1)

Single Foot (34mm)

(qty 2)

EZ Tube® CONNECT 120" X 90" STRAIGHT TOP

RODUCT CATEGORY: EZ FABRIC DISPLAYS















PRODUCT DESCRIPTION

Modular has officially met tube frames! EZ Tube® Connect modular tube display system lets you configure multiple shapes, sizes and frames. EZ Tube® Connect has straight, round or slanted top frame shapes available, 90" frame heights, and 2ft, 3ft, 4ft, 5ft, 8ft and 10ft frame widths. Each EZ Tube® Connect frame easily connects, using aluminum tubing with push button snaps to lock and to attach to feet. Feet have two mounting points to connect frames side-by-side. Customize single-or double-sided stretch fabric graphics that pull over frames and zips closed underneath.

DISPLAY DIMENSIONS	120"W x 90"H x 18.75"D
GRAPHIC SIZE	121"W x 895"H

GRAPHIC MATERIAL

Stretch Fabric

GRAPHIC FINISHING

Sewn on left, right and top with zipper on the bottom

DISPLAY CONSTRUCTION

34mm Aluminum Tubing

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	22 lbs (frames and graphics)
Shipping Dimensions	41"W x 12"H x 4"D

LARGE QUANTITY FREIGHT

Freight Shipping	48 boxes per 48"L x 40"W x 43"H skid
Freight Weight	1056 lbs (frames & graphics)

GRAPHIC TURN AROUND TIME


2 business days after proof approval

AVAILABILITY Pacific Fulfillment Center




Single foot connection















Single Foot (34mm) (qty 2)



Soft Bag 8ft (qty 1)

SETUP INSTRUCTIONS

